

Current Procedural Coding Expert

CPT[®] codes with Medicare essentials
for enhanced accuracy

2021

optum360coding.com

Contents

Introduction	i
Getting Started with <i>Current Procedural Coding Expert, Professional Edition</i>	i
General Conventions	i
Resequencing of CPT Codes	i
Code Ranges for Medicare Billing	ii
Icons	ii
Appendixes	iv
Anatomical Illustrations	vii
Body Planes and Movements.....	vii
Integumentary System	viii
Skin and Subcutaneous Tissue	viii
Nail Anatomy	viii
Assessment of Burn Surface Area	viii
Musculoskeletal System	ix
Bones and Joints	ix
Muscles	x
Head and Facial Bones	xi
Nose	xi
Shoulder (Anterior View)	xi
Shoulder (Posterior View)	xi
Shoulder Muscles	xi
Elbow (Anterior View)	xii
Elbow (Posterior View)	xii
Elbow Muscles	xii
Elbow Joint	xii
Lower Arm	xii
Hand	xii
Hip (Anterior View)	xiii
Hip (Posterior View)	xiii
Knee (Anterior View)	xiii
Knee (Posterior View)	xiii
Knee Joint (Anterior View)	xiii
Knee Joint (Lateral View)	xiii
Lower Leg	xiv
Ankle Ligament (Lateral View)	xiv
Ankle Ligament (Posterior View)	xiv
Foot Tendons	xiv
Foot Bones	xiv
Respiratory System	xv
Upper Respiratory System	xv
Nasal Turbinates	xv
Paranasal Sinuses	xvi
Lower Respiratory System	xvi
Lung Segments	xvi
Alveoli	xvi
Arterial System	xvii
Internal Carotid and Arteries and Branches	xviii
External Carotid Arteries and Branches	xviii
Upper Extremity Arteries	xviii
Lower Extremity Arteries	xviii
Venous System	xix
Head and Neck Veins	xx
Upper Extremity Veins	xx
Venae Comitantes	xx
Venous Blood Flow	xx
Abdominal Veins	xx
Cardiovascular System	xxi
Coronary Veins	xxi
Anatomy of the Heart	xxi
Heart Cross Section	xxi
Heart Valves	xxi

Heart Conduction System	xxii
Coronary Arteries	xxii
Lymphatic System	xxiii
Axillary Lymph Nodes	xxiv
Lymphatic Capillaries	xxiv
Lymphatic System of Head and Neck	xxiv
Lymphatic Drainage	xxiv
Spleen Internal Structures	xxv
Spleen External Structures	xxv
Digestive System	xxvi
Gallbladder	xxvi
Stomach	xxvi
Mouth (Upper)	xxvii
Mouth (Lower)	xxvii
Pancreas	xxvii
Liver	xxvii
Anus	xxvii
Genitourinary System	xxviii
Urinary System	xxviii
Nephron	xxix
Male Genitourinary	xxix
Testis and Associate Structures	xxix
Male Genitourinary System	xxix
Female Genitourinary	xxx
Female Reproductive System	xxx
Female Bladder	xxx
Female Breast	xxx
Endocrine System	xxxix
Structure of an Ovary	xxxix
Thyroid and Parathyroid Glands	xxxix
Adrenal Gland	xxxix
Thyroid	xxxix
Thymus	xxxix
Nervous System	xxxix
Brain	xxxix
Cranial Nerves	xxxix
Spinal Cord and Spinal Nerves	xxxix
Nerve Cell	xxxix
Eye	xxxvii
Eye Structure	xxxvii
Posterior Pole of Globe/Flow of Aqueous Humor	xxxvii
Eye Musculature	xxxvii
Eyelid Structures	xxxvii
Ear and Lacrimal System	xxxviii
Ear Anatomy	xxxviii
Lacrimal System	xxxviii

Index **Index-1**

Tabular	1
Anesthesia	1
Integumentary System.....	13
Musculoskeletal System.....	39
Respiratory System	109
Cardiovascular, Hemic, and Lymphatic	127
Digestive System.....	187
Urinary System	237
Genital System.....	255
Endocrine System	279
Nervous System.....	281
Eye, Ocular Adnexa, and Ear.....	313
Radiology.....	333

Pathology and Laboratory	371	Optum Modifier 50 Exempt Codes	635
Medicine	457	AMA Modifier 51 Exempt Codes	635
Evaluation and Management Services Guidelines	535	Optum Modifier 51 Exempt Codes	635
Evaluation and Management	540	Modifier 63 Exempt Codes	635
Category II Codes	563	Telemedicine Services Codes	636
Category III Codes	579		
Appendix A — Modifiers	599	Appendix G — Medicare Internet-only Manuals (IOMs)	637
CPT Modifiers	599	Medicare IOM references	637
Modifiers Approved for Ambulatory Surgery Center (ASC)		Appendix H — Quality Payment Program	781
Hospital Outpatient Use	601	Proposed 2021 Changes	781
Appendix B — New, Revised, and Deleted Codes	605	Appendix I — Medically Unlikely Edits (MUEs)	783
New Codes	605	Professional	783
Revised Codes	608	OPPS	810
Deleted Codes	610	Appendix J — Inpatient-Only Procedures	837
Resequenced Icon Added	610	Appendix K — Place of Service and Type of Service	847
Web Release New and Revised Codes	610	Appendix L — Multianalyte Assays with Algorithmic	
Appendix C — Evaluation and Management Extended		Analyses	851
Guidelines	613	Appendix M — Glossary	863
Appendix D — Crosswalk of Deleted Codes	629	Appendix N — Listing of Sensory, Motor, and Mixed	
Appendix E — Resequenced Codes	631	Nerves	877
Appendix F — Add-on Codes, Optum Modifier 50 Exempt,		Motor Nerves Assigned to Codes 95907-95913	877
Modifier 51 Exempt, Optum Modifier 51 Exempt,		Sensory and Mixed Nerves Assigned to Codes	
Modifier 63 Exempt, and Modifier 95 Telemedicine Services ..	635	95907-95913	878
Add-on Codes	635		

Introduction

Welcome to Optum360's *Current Procedural Coding Expert, Professional Edition*, an exciting Medicare coding and reimbursement tool and definitive procedure coding source that combines the work of the Centers for Medicare and Medicaid Services, American Medical Association, and Optum360 experts with the technical components you need for proper reimbursement and coding accuracy.

This approach to CPT® Medicare coding utilizes innovative and intuitive ways of communicating the information you need to code claims accurately and efficiently. *Includes* and *Excludes* notes, similar to those found in the ICD-10-CM manual, help determine what services are related to the codes you are reporting. Icons help you crosswalk the code you are reporting to laboratory and radiology procedures necessary for proper reimbursement. CMS-mandated icons and relative value units (RVUs) help you determine which codes are most appropriate for the service you are reporting. Add to that additional information identifying age and sex edits, ambulatory surgery center (ASC) and ambulatory payment classification (APC) indicators, and Medicare coverage and payment rule citations, and *Current Procedural Coding Expert, Professional Edition* provides the best in Medicare procedure reporting.

Current Procedural Coding Expert, Professional Edition includes the information needed to submit claims to federal contractors and most commercial payers, and is correct at the time of printing. However, CMS, federal contractors, and commercial payers may change payment rules at any time throughout the year. *Current Procedural Coding Expert, Professional Edition* includes effective codes that will not be published in the AMA's Physicians' Current Procedural Terminology (CPT) book until the following year. Commercial payers will announce changes through monthly news or information posted on their websites. CMS will post changes in policy on its website at <http://www.cms.gov/transmittals>. National and local coverage determinations (NCDs and LCDs) provide universal and individual contractor guidelines for specific services. The existence of a procedure code does not imply coverage under any given insurance plan.

Current Procedural Coding Expert, Professional Edition is based on the AMA's Physicians' Current Procedural Terminology coding system, which is copyrighted and owned by the physician organization. The CPT codes are the nation's official, Health Information Portability and Accountability Act (HIPAA) compliant code set for procedures and services provided by physicians, ambulatory surgery centers (ASCs), and hospital outpatient services, as well as laboratories, imaging centers, physical therapy clinics, urgent care centers, and others.

Getting Started with *Current Procedural Coding Expert, Professional Edition*

Current Procedural Coding Expert, Professional Edition is an exciting tool combining the most current material at the time of our publication from the AMA's CPT 2021, CMS's online manual system, the Correct Coding initiative, CMS fee schedules, official Medicare guidelines for reimbursement and coverage, the Integrated outpatient coding Editor (I/OCE), and Optum360's own coding expertise.

These coding rules and guidelines are incorporated into more specific section notes and code notes. Section notes are listed under a range of codes and apply to all codes in that range. Code notes are found under individual codes and apply to the single code.

Material is presented in a logical fashion for those billing Medicare, Medicaid, and many private payers. The format, based on customer comments, better addresses what customers tell us they need in a comprehensive Medicare procedure coding guide.

Designed to be easy to use and full of information, this product is an excellent companion to your AMA CPT manual, and other Optum360 and Medicare resources.

For mid-year code updates, official errata changes, correction notices, and any other changes pertinent to the information in *Current Procedural*

Coding Expert, Professional Edition, see our product update page at <https://www.optum360coding.com/ProductUpdates/>.

Note: The AMA releases code changes quarterly as well as errata or corrections to CPT codes and guidelines and posts them on their web site. Some of these changes may not appear in the AMA's CPT book until the following year. *Current Procedural Coding Expert, Professional Edition* incorporates the most recent errata or release notes found on the AMA's web site at our publication time, including new, revised and deleted codes. *Current Procedural Coding Expert, Professional Edition* identifies these new or revised codes from the AMA website errata or release notes with an icon similar to the AMA's current new ● and revised ▲ icons. For purposes of this publication, new CPT codes and revisions that won't be in the AMA book until the next edition are indicated with a ● and a ▲ icon. For the next year's edition of *Current Procedural Coding Expert, Professional Edition*, these codes will appear with standard black new or revised icons, as appropriate, to correspond with those changes as indicated in the AMA CPT book. CPT codes that were new for 2019 and appeared in the 2019 *Current Procedural Coding Expert, Professional Edition* but did not appear in the CPT code book until 2020 are identified in appendix B as "Web Release New and Revised Codes."

General Conventions

Many of the sources of information in this book can be determined by color.

- All CPT codes and descriptions and the Evaluation and Management guidelines from the American Medical Association are in **black text**.
- Includes, Excludes, and other notes appear in **blue text**. The resources used for this information are a variety of Medicare policy manuals, the *National Correct Coding Initiative Policy Manual* (NCCI), AMA resources and guidelines, and specialty association resources and our Optum360 clinical experts.

Resequencing of CPT Codes

The American Medical Association (AMA) uses a numbering methodology of resequencing, which is the practice of displaying codes outside of their numerical order according to the description relationship. According to the AMA, there are instances in which a new code is needed within an existing grouping of codes but an unused code number is not available. In these situations, the AMA will resequence the codes. In other words, it will assign a code that is not in numeric sequence with the related codes. However, the code and description will appear in the CPT manual with the other related codes.

An example of resequencing from *Current Procedural Coding Expert, Professional Edition* follows:

	21555	Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; less than 3 cm
#	21552	3 cm or greater
	21556	Excision, tumor, soft tissue of neck or anterior thorax, subfascial (eg, intramuscular); less than 5 cm
#	21554	5 cm or greater

In *Current Procedural Coding Expert, Professional Edition* the resequenced codes are listed twice. They appear in their resequenced position as shown above as well as in their original numeric position with a note indicating that the code is out of numerical sequence and where it can be found. (See example below.)

21554 Resequenced code. See code following 21556.

This differs from the AMA CPT book, in which the coder is directed to a code range that contains the resequenced code and description, rather than to a specific location.

0-Numeric

3-Beta-Hydroxysteroid Dehydrogenase Type II Deficiency, 81404
3-Methylcrotonyl-CoA Carboxylase 1, 81406
5,10-Methylenetetrahydrofolate Reductase, 81291

A

A, C, Y, W-135 Combined Vaccine, 90733-90734
A Vitamin, 84590
Abbe-Estlander Procedure, 40527, 40761
ABBI Biopsy, 19081-19086
ABCA4, 81408
ABCC8, 81401, 81407
ABCD1, 81405
Abdomen, Abdominal
 Abscess, 49020, 49040
 Incision and Drainage
 Skin and Subcutaneous Tissue, 10060-10061
 Open, 49040
 Peritoneal, 49020
 Peritonitis, Localized, 49020
 Retroperitoneal, 49060
 Subdiaphragmatic, 49040
 Subphrenic, 49040
 Angiography, 74175, 75635
 Aorta
 Aneurysm, 34701-34712 [34717, 34718], 34813, 34830-34832, 34841-34848, 35081-35103
 Angiography, 75635
 Aortography, 75625, 75630
 Thromboendarterectomy, 35331
 Aortic Aneurysm, 34701-34712 [34717, 34718], 34813, 34830-34832, 34841-34848, 35081-35103
 Artery
 Ligation, 37617
 Biopsy
 Incisional, 11106-11107
 Open, 49000
 Percutaneous, 49180
 Punch, 11104-11105
 Skin, Tangential, 11102-11103
 Bypass Graft, 35907
 Cannula/catheter
 Insertion, 49419, 49421
 Removal, 49422
 Catheter
 Removal, 49422
 Celiotomy
 for Staging, 49220
 CT Scan, 74150-74178, 75635
 Cyst
 Destruction/Excision, 49203-49205
 Sclerotherapy, 49185
 Delivery
 After Attempted Vaginal Delivery
 Delivery Only, 59620
 Postpartum Care, 59622
 Routine Care, 59618
 Delivery Only, 59514
 Peritoneal Abscess
 Open, 49020
 Peritonitis, localized, 49020
 Postpartum Care, 59515
 Routine Care, 59510
 Tubal Ligation at Time of, 58611 with Hysterectomy, 59525
 Drainage, 49020, 49040
 Fluid, 49082-49083
 Retroperitoneal
 Open, 49060
 Skin and Subcutaneous Tissue, 10060-10061
 Subdiaphragmatic
 Open, 49040
 Subphrenic
 Open, 49040
 Ectopic Pregnancy, 59130
 Endometrioma, 49203-49205
 Destruction/Excision, 49203-49205
 Excision
 Excess Skin, 15830

Abdomen, Abdominal — continued

Excision — *continued*
 Tumor, Abdominal Wall, 22900
 Exploration, 49000-49084
 Blood Vessel, 35840
 Staging, 58960
 Hernia Repair, 49491-49590, 49650-49659
 Incision, 49000-49084
 Staging, 58960
 Incision and Drainage
 Pancreatitis, 48000
 Intraumbilical Panniculectomy, 15830
 Injection
 Air, 49400
 Contrast Material, 49400
 Insertion
 Catheter, 49324, 49418-49421
 Venous Shunt, 49425
 Intraoperative
 Catheter Exit Site, 49436
 Catheter Insertion, 49324, 49418-49421, 49425, 49435
 Catheter Removal, 49422
 Catheter Revision, 49325
 Shunt
 Insertion, 49425
 Ligation, 49428
 Removal, 49429
 Revision, 49426
 Laparoscopy, 49320-49329
 Laparotomy
 Exploration, 47015, 49000-49002, 58960
 Hemorrhage Control, 49002
 Reopening, 49002
 Second Look, 58960
 Staging, 49220, 58960
 with Biopsy, 49000
 Lymphangiogram, 75805, 75807
 Magnetic Resonance Imaging (MRI), 74181-74183
 Fetal, 74712-74713
 Needle Biopsy
 Mass, 49180
 Pancreatitis, 48000
 Paracentesis, 49082-49083
 Peritoneal Abscess, 49020
 Peritoneal Lavage, 49084
 Placement Guidance Devices, 49411-49412
 Radical Resection, 51597
 Removal Node(s), 49220
 Repair
 Blood Vessel, 35221
 with
 Other Graft, 35281
 Vein Graft, 35251
 Hernia, 49491-49590, 49650-49659
 Suture, 49900
 Revision
 Venous Shunt, 49426
 Suture, 49900
 Tumor
 Destruction/Excision, 49203-49205
 Tumor Staging, 58960
 Ultrasound, 76700, 76705, 76706
 Unlisted Services and Procedures, 49999
 Wall
 See Abdomen, X-Ray
 Debridement
 Infected, 11005-11006
 Implant
 Fascial Reinforcement, 04377
 Reconstruction, 49905
 Removal
 Mesh, 11008
 Prosthesis, 11008
 Repair
 Hernia, 49491-49590
 by Laparoscopy, 49650-49651
 Surgery, 22999
 Tumor
 Excision, 22900-22905
 Wound Exploration
 Penetrating, 20102
 X-ray, 74018-74022
Abdominal Plane Block
 Bilateral, 64488-64489

Abdominal Plane Block — continued

Unilateral, 64486-64487
Abdominohysterectomy
 Radical, 58210
 Resection of Ovarian Malignancy, 58951, 58953-58954, 58956
 Supracervical, 58180
 Total, 58150, 58200
 with Colpo-Urethrostomy, 58152
 with Omentectomy, 58956
 with Partial Vaginectomy, 58200
Abdominoplasty, 15830, 15847, 17999
ABG, 82803, 82805
ABL1, 81401
Ablation
 Anal
 Polyp, 46615
 Tumor, 46615
 Atria, 33257-33259
 Bone Tumor, 20982-20983
 Breast Tumor, 0581T
 Colon
 Polyp(s), [45346]
 Tumor, [45346]
 Cryosurgical
 Breast Tumor, 0581T
 Fibroadenoma, 19105
 Liver Tumor(s), 47381
 Nerve, 0440T-0442T
 Renal mass, 50250
 Renal Tumor
 Percutaneous, 50593
 CT Scan Guidance, 77013
 Endometrial, 58353, 58356, 58563
 Endometrium
 Ultrasound Guidance, 58356
 Endoscopic
 Duodenum/Jejunum, [43270]
 Esophagus, 43229, [43270]
 Hepatobiliary System, [43278]
 Stomach, [43270]
 Endovenous, 0524T, 36473-36479 [36482, 36483]
 Fractional Laser Fenestration
 Infants and Children, 0479T-0480T
 Heart
 Arrhythmogenic Focus, 93650-93657
 Intracardiac Catheter, 93650-93657
 Open, 33250-33261
 Intracardiac Pacing and Mapping, 93631
 Follow-up Study, 93624
 Stimulation and Pacing, 93623
 Liver
 Tumor, 47380-47383
 Ablation
 Cryoablation, 47381, 47383
 Radiofrequency, 47380, 47382
 Laparoscopic, 47370-47371
 Cryosurgical, 47371
 Open, 47380-47381
 Lung
 Tumor
 Cryoablation, [32994]
 Radiofrequency, 32998
 Magnetic Resonance Guidance, 77022
 Nerve
 Cryoablation, 0440T-0442T
 Open Wound, 0491T-0492T
 Parenchymal Tissue
 CT Scan Guidance, 77013
 Magnetic Resonance Guidance, 77022
 Ultrasound Guidance, 76940
 Prostate, 55873
 High-energy Water Vapor Thermotherapy, 0582T
 Transurethral Waterjet, 0421T
 Pulmonary Tumor
 Cryoablation, [32994]
 Radiofrequency, 32998
 Radiofrequency
 Liver Tumor(s), 47382
 Lung Tumor(s), 32998
 Renal Tumor(s), 50592
 Tongue Base, 41530
 Renal
 Cyst, 50541

Ablation — continued

Renal — *continued*
 Mass, 50542
 Radiofrequency, 50592
 Tumor, 50593
 Cryotherapy
 Percutaneous, 50593
 Supraventricular Arrhythmogenic Focus, 33250-33251
 Tongue Base
 Radiofrequency, 41530
 Turbinate Mucosa, 30801, 30802
 Ultrasound
 Guidance, 76940
 Ultrasound Focused, 0071T-0072T
 Uterine Tumor, 0071T-0072T
 Uterus
 Fibroids, 0404T, 58674
 Leiomyomata, 0071T-0072T
 Tumor
 Ultrasound, Focused, 0071T-0072T
 Vein
 Endovenous, 0524T, 36473-36479 [36482, 36483]
 Ventricular Arrhythmogenic Focus, 33261
ABLB Test, 92562
ABO, 86900
Abortion
 See Obstetrical Care
 Incomplete, 59812
 Induced by
 Amniocentesis Injection, 59850-59852
 Dilation and Curettage, 59840
 Dilation and Evacuation, 59841
 Saline, 59850, 59851
 Vaginal Suppositories, 59855, 59856
 with Hysterotomy, 59100, 59852, 59857
 Missed
 First Trimester, 59820
 Second Trimester, 59821
 Septic, 59830
 Spontaneous, 59812
 Therapeutic, 59840-59852
 by Saline, 59850
 with Dilatation and Curettage, 59851
 with Hysterotomy, 59852
ABR, 92585-92586
Abrasion, Skin
 Chemical Peel, 15788-15793
 Dermabrasion, 15780-15783
 Lesion, 15786, 15787
ABS, 86255, 86403, 86850
Abscess
 Abdomen, 49040
 Drainage, 49020, 49040
 Peritoneal
 Open, 49020
 Peritonitis, Localized, 49020
 Retroperitoneal
 Open, 49060
 Skin and Subcutaneous Tissue
 Complicated, 10061
 Multiple, 10061
 Simple, 10060
 Single, 10060
 Subdiaphragmatic
 Open, 49040
 Subphrenic, 49040
 Incision and Drainage
 Open, 49040
 Anal
 Incision and Drainage, 46045, 46050
 Ankle
 Incision and Drainage
 Bone Abscess, 27607
 Deep Abscess, 27603
 Hematoma, 27603
 Appendix
 Incision and Drainage, 44900
 Arm, Lower, 25028
 Bone Abscess, 25035
 Excision, 25145
 Incision and Drainage, 25035
 Sequestrectomy, 25145


- 27485 Arrest, hemiepiphyseal, distal femur or proximal tibia or fibula (eg, genu varus or valgus)**
 📄 19.3 📄 19.3 FUD 090 [J] 50 [M] [P]
 AMA: 2018, Sep, 7
- 27486 Revision of total knee arthroplasty, with or without allograft; 1 component**
 📄 40.5 📄 40.5 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7; 2018, Apr, 10; 2018, Jan, 8; 2017, Jan, 8; 2016, Jan, 13; 2015, Jul, 10; 2015, Jan, 16; 2014, Jan, 11
- 27487 femoral and entire tibial component**
 📄 50.7 📄 50.7 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7; 2018, Jan, 8; 2017, Jan, 8; 2016, Jan, 13; 2015, Jan, 16
- 27488 Removal of prosthesis, including total knee prosthesis, methylmethacrylate with or without insertion of spacer, knee**
 📄 34.6 📄 34.6 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7; 2018, Jan, 8; 2017, Jan, 8; 2016, Jan, 13; 2015, Jan, 16
- 27495 Prophylactic treatment (nailing, pinning, plating, or wiring) with or without methylmethacrylate, femur**
 📄 32.5 📄 32.5 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27496 Decompression fasciotomy, thigh and/or knee, 1 compartment (flexor or extensor or adductor);**
 📄 15.6 📄 15.6 FUD 090 [J] A2 50 [M] [P]
 AMA: 2018, Sep, 7
- 27497 with debridement of nonviable muscle and/or nerve**
 📄 16.7 📄 16.7 FUD 090 [J] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27498 Decompression fasciotomy, thigh and/or knee, multiple compartments;**
 📄 18.8 📄 18.8 FUD 090 [J] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27499 with debridement of nonviable muscle and/or nerve**
 📄 20.1 📄 20.1 FUD 090 [J] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7

27500-27566 Treatment of Fracture/Dislocation of Femur/Knee

INCLUDES Closed, percutaneous, and open treatment of fractures and dislocations

- 27500 Closed treatment of femoral shaft fracture, without manipulation**
 📄 13.7 📄 14.9 FUD 090 [T] A2 50 [M] [P]
 AMA: 2018, Sep, 7
- 27501 Closed treatment of supracondylar or transcondylar femoral fracture with or without intercondylar extension, without manipulation**
 📄 14.3 📄 14.5 FUD 090 [T] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27502 Closed treatment of femoral shaft fracture, with manipulation, with or without skin or skeletal traction**
 📄 21.8 📄 21.8 FUD 090 [J] A2 50 [M] [P]
 AMA: 2018, Sep, 7; 2018, Jan, 8; 2017, Jan, 8; 2016, Jan, 13; 2015, Jan, 16; 2014, Jan, 11
- 27503 Closed treatment of supracondylar or transcondylar femoral fracture with or without intercondylar extension, with manipulation, with or without skin or skeletal traction**
 📄 23.0 📄 23.0 FUD 090 [J] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27506 Open treatment of femoral shaft fracture, with or without external fixation, with insertion of intramedullary implant, with or without cerclage and/or locking screws**
 📄 38.6 📄 38.6 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7; 2018, Jan, 8; 2017, Jan, 8; 2016, Jan, 13; 2015, Jan, 16; 2014, Jan, 11

- 27507 Open treatment of femoral shaft fracture with plate/screws, with or without cerclage**
 📄 28.0 📄 28.0 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27508 Closed treatment of femoral fracture, distal end, medial or lateral condyle, without manipulation**
 📄 14.1 📄 15.0 FUD 090 [T] A2 50 [M] [P]
 AMA: 2018, Sep, 7
- 27509 Percutaneous skeletal fixation of femoral fracture, distal end, medial or lateral condyle, or supracondylar or transcondylar, with or without intercondylar extension, or distal femoral epiphyseal separation**
 📄 18.6 📄 18.6 FUD 090 [J] J8 80 50 [M] [P]
 AMA: 2018, Dec, 10; 2018, Dec, 10; 2018, Sep, 7




- 27510 Closed treatment of femoral fracture, distal end, medial or lateral condyle, with manipulation**
 📄 19.6 📄 19.6 FUD 090 [J] A2 50 [M] [P]
 AMA: 2018, Sep, 7
- 27511 Open treatment of femoral supracondylar or transcondylar fracture without intercondylar extension, includes internal fixation, when performed**
 📄 28.7 📄 28.7 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27513 Open treatment of femoral supracondylar or transcondylar fracture with intercondylar extension, includes internal fixation, when performed**
 📄 35.8 📄 35.8 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27514 Open treatment of femoral fracture, distal end, medial or lateral condyle, includes internal fixation, when performed**
 📄 27.9 📄 27.9 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27516 Closed treatment of distal femoral epiphyseal separation; without manipulation**
 📄 13.7 📄 14.6 FUD 090 [T] A2 50 [M] [P]
 AMA: 2018, Sep, 7
- 27517 with manipulation, with or without skin or skeletal traction**
 📄 19.7 📄 19.7 FUD 090 [J] A2 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27519 Open treatment of distal femoral epiphyseal separation, includes internal fixation, when performed**
 📄 25.8 📄 25.8 FUD 090 [C] 80 50 [M] [P]
 AMA: 2018, Sep, 7
- 27520 Closed treatment of patellar fracture, without manipulation**
 📄 8.46 📄 9.21 FUD 090 [T] A2 50 [M] [P]
 AMA: 2018, Sep, 7

51100-51102 Bladder Aspiration Procedures

51100 Aspiration of bladder; by needle

(76942, 77002, 77012)
 1.13 1.84 FUD 000 T P8
 AMA: 2018,Jan,8; 2017,Jan,8; 2016,Jan,13; 2015,Jan,16; 2014,Jan,11



51101 by trocar or intracatheter

(76942, 77002, 77012)
 1.50 3.79 FUD 000 S P8
 AMA: 2018,Jan,8; 2017,Jan,8; 2016,Jan,13; 2015,Jan,16; 2014,Jan,11

51102 with insertion of suprapubic catheter

(76942, 77002, 77012)
 4.18 6.60 FUD 000 J A2
 AMA: 2018,Jan,8; 2017,Jan,8; 2016,Jan,13; 2015,Jan,16; 2014,Jan,11

51500-51597 Open Excisional Procedures of Bladder

51500 Excision of urachal cyst or sinus, with or without umbilical hernia repair

18.4 18.4 FUD 090 J A2 80
 AMA: 2014,Jan,11

51520 Cystotomy; for simple excision of vesical neck (separate procedure)

17.2 17.2 FUD 090 J A2 80
 AMA: 2014,Jan,11

51525 for excision of bladder diverticulum, single or multiple (separate procedure)

EXCLUDES Transurethral resection (52305)
 24.8 24.8 FUD 090 C 80
 AMA: 2014,Jan,11

51530 for excision of bladder tumor

EXCLUDES Transurethral resection (52234-52240, 52305)
 22.2 22.2 FUD 090 C 80
 AMA: 2014,Jan,11

51535 Cystotomy for excision, incision, or repair of ureterocele

EXCLUDES Transurethral excision (52300)
 22.5 22.5 FUD 090 J 62 80 50
 AMA: 2014,Jan,11

51550 Cystectomy, partial; simple

27.9 27.9 FUD 090 C 80
 AMA: 2014,Jan,11

51555 complicated (eg, postradiation, previous surgery, difficult location)

36.6 36.6 FUD 090 C 80
 AMA: 2014,Jan,11

51565 Cystectomy, partial, with reimplantation of ureter(s) into bladder (ureteroneocystostomy)

37.5 37.5 FUD 090 C 80
 AMA: 2014,Jan,11

51570 Cystectomy, complete; (separate procedure)

42.6 42.6 FUD 090 C 80
 AMA: 2014,Jan,11

51575 with bilateral pelvic lymphadenectomy, including external iliac, hypogastric, and obturator nodes

52.7 52.7 FUD 090 C 80
 AMA: 2014,Jan,11

51580 Cystectomy, complete, with ureterosigmoidostomy or ureterocutaneous transplantations;

54.7 54.7 FUD 090 C 80
 AMA: 2014,Jan,11

51585 with bilateral pelvic lymphadenectomy, including external iliac, hypogastric, and obturator nodes

61.0 61.0 FUD 090 C 80
 AMA: 2014,Jan,11

51590 Cystectomy, complete, with ureteroileal conduit or sigmoid bladder, including intestine anastomosis;

55.9 55.9 FUD 090 C 80
 AMA: 2014,Jan,11

51595 with bilateral pelvic lymphadenectomy, including external iliac, hypogastric, and obturator nodes

63.3 63.3 FUD 090 C 80
 AMA: 2014,Jan,11

51596 Cystectomy, complete, with continent diversion, any open technique, using any segment of small and/or large intestine to construct neobladder

68.1 68.1 FUD 090 C 80
 AMA: 2014,Jan,11

51597 Pelvic exenteration, complete, for vesical, prostatic or urethral malignancy, with removal of bladder and ureteral transplantations, with or without hysterectomy and/or abdominoperineal resection of rectum and colon and colostomy, or any combination thereof

EXCLUDES Pelvic exenteration for gynecologic malignancy (58240)
 66.3 66.3 FUD 090 C 80
 AMA: 2014,Jan,11

51600-51720 Injection/Insertion/Instillation Procedures of Bladder

51600 Injection procedure for cystography or voiding urethrocytography

(74430, 74455)
 1.29 5.57 FUD 000 N 11
 AMA: 2014,Jan,11

51605 Injection procedure and placement of chain for contrast and/or chain urethrocytography

(74430)
 1.11 1.11 FUD 000 N 11
 AMA: 2014,Jan,11

51610 Injection procedure for retrograde urethrocytography

(74450)
 1.85 3.21 FUD 000 N 11
 AMA: 2018,Jan,8; 2017,Jan,8; 2016,Jan,3; 2014,Jan,11

51700 Bladder irrigation, simple, lavage and/or instillation

0.87 2.12 FUD 000 T P8
 AMA: 2014,Jan,11

Appendix A — Modifiers

CPT Modifiers

A modifier is a two-position alpha or numeric code appended to a CPT® code to clarify the services being billed. Modifiers provide a means by which a service can be altered without changing the procedure code. They add more information, such as the anatomical site, to the code. In addition, they help to eliminate the appearance of duplicate billing and unbundling. Modifiers are used to increase accuracy in reimbursement, coding consistency, editing, and to capture payment data.

- 22 Increased Procedural Services:** When the work required to provide a service is substantially greater than typically required, it may be identified by adding modifier 22 to the usual procedure code. Documentation must support the substantial additional work and the reason for the additional work (ie, increased intensity, time, technical difficulty of procedure, severity of patient's condition, physical and mental effort required).
Note: This modifier should not be appended to an E/M service.
- 23 Unusual Anesthesia:** Occasionally, a procedure, which usually requires either no anesthesia or local anesthesia, because of unusual circumstances must be done under general anesthesia. This circumstance may be reported by adding modifier 23 to the procedure code of the basic service.
- 24 Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period:** The physician or other qualified health care professional may need to indicate that an evaluation and management service was performed during a postoperative period for a reason(s) unrelated to the original procedure. This circumstance may be reported by adding modifier 24 to the appropriate level of E/M service.
- 25 Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service:** It may be necessary to indicate that on the day a procedure or service identified by a CPT code was performed, the patient's condition required a significant, separately identifiable E/M service above and beyond the other service provided or beyond the usual preoperative and postoperative care associated with the procedure that was performed. A significant, separately identifiable E/M service is defined or substantiated by documentation that satisfies the relevant criteria for the respective E/M service to be reported (see Evaluation and Management Services Guidelines for instructions on determining level of E/M service). The E/M service may be prompted by the symptom or condition for which the procedure and/or service was provided. As such, different diagnoses are not required for reporting of the E/M services on the same date. This circumstance may be reported by adding modifier 25 to the appropriate level of E/M service.
Note: This modifier is not used to report an E/M service that resulted in a decision to perform surgery. See modifier 57. For significant, separately identifiable non-E/M services, see modifier 59.
- 26 Professional Component:** Certain procedures are a combination of a physician or other qualified health care professional component and a technical component. When the physician or other qualified health care professional component is reported separately, the service may be identified by adding modifier 26 to the usual procedure number.
- 32 Mandated Services:** Services related to mandated consultation and/or related services (eg, third party payer, governmental, legislative or regulatory requirement) may be identified by adding modifier 32 to the basic procedure.
- 33 Preventive Services:** When the primary purpose of the service is the delivery of an evidence based service in accordance with a US Preventive Services Task Force A or B rating in effect and other preventive services identified in preventive services mandates (legislative or regulatory), the service may be identified by adding 33 to the procedure. For separately reported services specifically identified as preventive, the modifier should not be used.
- 47 Anesthesia by Surgeon:** Regional or general anesthesia provided by the surgeon may be reported by adding modifier 47 to the basic service. (This does not include local anesthesia.)
Note: Modifier 47 would not be used as a modifier for the anesthesia procedures.
- 50 Bilateral Procedure:** Unless otherwise identified in the listings, bilateral procedures that are performed at the same session should be identified by adding modifier 50 to the appropriate 5 digit code.
Note: This modifier should not be appended to designated "add-on" codes (see Appendix F).
- 51 Multiple Procedures:** When multiple procedures, other than E/M services, Physical Medicine and Rehabilitation services or provision of supplies (eg, vaccines), are performed at the same session by the same individual, the primary procedure or service may be reported as listed. The additional procedure(s) or service(s) may be identified by appending modifier 51 to the additional procedure or service code(s).
Note: This modifier should not be appended to designated "add-on" codes (see Appendix F).
- 52 Reduced Services:** Under certain circumstances a service or procedure is partially reduced or eliminated at the discretion of the physician or other qualified health care professional. Under these circumstances the service provided can be identified by its usual procedure number and the addition of modifier 52, signifying that the service is reduced. This provides a means of reporting reduced services without disturbing the identification of the basic service.
Note: For hospital outpatient reporting of a previously scheduled procedure/service that is partially reduced or cancelled as a result of extenuating circumstances or those that threaten the well-being of the patient prior to or after administration of anesthesia, see modifiers 73 and 74 (see modifiers approved for ASC hospital outpatient use).
- 53 Discontinued Procedure:** Under certain circumstances, the physician or other qualified health care professional may elect to terminate a surgical or diagnostic procedure. Due to extenuating circumstances or those that threaten the well being of the patient, it may be necessary to indicate that a surgical or diagnostic procedure was started but discontinued. This circumstance may be reported by adding modifier 53 to the code reported by the physician for the discontinued procedure.
Note: This modifier is not used to report the elective cancellation of a procedure prior to the patient's anesthesia induction and/or surgical preparation in the operating suite. For outpatient hospital/ambulatory surgery center (ASC) reporting of a previously scheduled procedure/service that is partially reduced or cancelled as a result of extenuating circumstances or those that threaten the well being of the patient prior to or after administration of anesthesia, see modifiers 73 and 74 (see modifiers approved for ASC hospital outpatient use).
- 54 Surgical Care Only:** When 1 physician or other qualified health care professional performs a surgical procedure and another provides preoperative and/or postoperative management, surgical services may be identified by adding modifier 54 to the usual procedure number.
- 55 Postoperative Management Only:** When 1 physician or other qualified health care professional performed the postoperative management and another performed the surgical procedure, the postoperative component may be identified by adding modifier 55 to the usual procedure number.
- 56 Preoperative Management Only:** When 1 physician or other qualified health care professional performed the preoperative care and evaluation and another performed the surgical procedure, the preoperative component may be identified by adding modifier 56 to the usual procedure number.
- 57 Decision for Surgery:** An evaluation and management service that resulted in the initial decision to perform the surgery may be identified by adding modifier 57 to the appropriate level of E/M service.