

Dental Services

An essential coding, billing
and reimbursement resource
for dental services



Power up your coding
optum360coding.com



Contents

| | | | |
|--|-----------|---|------------|
| Getting Started with Coding and Payment Guide | 1 | | |
| Resequencing of CDT and CPT Codes | 1 | | |
| ICD-10-CM | 1 | | |
| Detailed Code Information | 1 | | |
| Appendix Codes and Descriptions | 1 | | |
| CCI Edit Updates..... | 1 | | |
| Index..... | 1 | | |
| General Guidelines | 1 | | |
| Sample Page and Key | 1 | | |
| Reimbursement Issues..... | 5 | | |
| Fee Schedules | 5 | | |
| Relative Value Scale..... | 5 | | |
| Documentation | 5 | | |
| | | | |
| Procedure Codes | 9 | | |
| HCPCS Level I or CPT Codes | 9 | | |
| HCPCS Level II Codes | 9 | | |
| | | | |
| HCPCS Level II D Codes | 11 | | |
| Diagnostic | 11 | | |
| Preventive | 62 | | |
| Restoration | 72 | | |
| Endodontics | 105 | | |
| Periodontics | 123 | | |
| Removable Prosthodontics | 148 | | |
| | | | |
| | | Maxillofacial Prosthetics..... | 164 |
| | | Implant Services..... | 165 |
| | | Fixed Prosthodontics | 190 |
| | | Oral and Maxillofacial Surgery..... | 216 |
| | | Orthodontics | 246 |
| | | Adjunctive Services | 252 |
| | | | |
| | | CPT Codes | 267 |
| | | Integumentary..... | 267 |
| | | Musculoskeletal..... | 268 |
| | | Digestive | 269 |
| | | Medicine..... | 297 |
| | | | |
| | | Correct Coding Initiative Update 23.3 | 299 |
| | | | |
| | | CDT Index | 309 |
| | | | |
| | | CPT Index..... | 313 |
| | | | |
| | | Medicare Official Regulatory Information | 315 |
| | | The CMS Online Manual System | 315 |
| | | National Coverage Determinations Manual..... | 315 |
| | | Medicare Benefit Policy Manual..... | 315 |
| | | Pub. 100 References..... | 316 |

Getting Started with Coding and Payment Guide

The *Coding and Payment Guide for Dental Services* is designed to be a guide to the specialty procedures classified in the CDT® and CPT® books. It is structured to help coders understand procedures and translate physician narrative into correct CPT codes by combining many clinical resources into one, easy-to-use source book. The book also allows coders to validate the intended code selection by providing an easy-to-understand explanation of the procedure and associated conditions or indications for performing the various procedures. As a result, data quality and reimbursement will be improved by providing code-specific clinical information and helpful tips regarding the coding of procedures. For ease of use, *Coding and Payment Guide for Dental Services* lists the CDT and CPT codes in ascending numeric order. Each CDT code is followed by its official code description and nomenclature and each CPT code is followed by its official code description.

Resequencing of CDT and CPT Codes

The American Dental Association (ADA) and the American Medical Association (AMA) employ a resequenced numbering methodology. According to the associations, there are instances where a new code is needed within an existing grouping of codes, but an unused code number is not available to keep the range sequential. In the instance where the existing codes were not changed or had only minimal changes, the ADA and AMA have assigned a code out of numeric sequence with the other related codes being grouped together. The resequenced codes and their descriptions have been placed with their related codes, out of numeric sequence. Codes within the Optum360 *Coding and Payment Guide* series display in their resequenced order. Resequenced codes are enclosed in brackets for easy identification.

ICD-10-CM

Overall, the 10th revision goes into greater clinical detail than did ICD-9-CM and addresses information about previously classified diseases, as well as those diseases discovered since the last revision. Conditions are grouped with general epidemiological purposes and the evaluation of health care in mind. New features have been added, and conditions have been reorganized, although the format and conventions of the classification remain unchanged for the most part.

Detailed Code Information

One or more columns are dedicated to each procedure or service to a series of similar procedures/services. Following the specific CDT and CPT code and its narrative, is a combination of features. A sample is shown on page 2. The black boxes with numbers in them correspond to the information on the page following the example.

Appendix Codes and Descriptions

Some procedure codes are presented in a less comprehensive format in the appendix. The CDT and CPT codes appropriate to the specialty are included the appendix with the official code description. The codes are presented in numeric order, and each code is followed by an easy-to-understand lay description of the procedure.

CCI Edit Updates

The *Coding and Payment Guide* series includes the a list of codes from the official Centers for Medicare and Medicaid Services' *National*

Correct Coding Policy Manual for Part B Medicare Contractors that are considered to be an integral part of the comprehensive code or mutually exclusive of it and should not be reported separately. The codes in the Correct Coding Initiative (CCI) section are from version 23.3, the most current version available at press time. The CCI edits are now located in a section at the back of the book. Optum360 maintains a website to accompany the *Coding and Payment Guide* series and posts updated CCI edits on this website so that current information is available before the next edition. The website address is <https://www.optum360coding.com/ProductUpdates/>. The 2018 edition password is: **SPECIALTY18**. Please note that you should log in each quarter to ensure you receive the most current updates. An email reminder will also be sent to you to let you know when the updates are available.

Index

Comprehensive indexes for both the CPT and the CDT coding systems are provided for easy access to the codes. The indexes have several axes. A code can be looked up by its procedure name or by the anatomical site associated with it. For example:

Debridement

endodontic, D3221
periodontal, D4355
implant
peri, D6101-D6102
single, D6081

General Guidelines

Providers

The ADA and AMA advises coders that while a particular service or procedure may be assigned to a specific section, the service or procedure itself is not limited to use only by that specialty group. Additionally, the procedures and services listed throughout the book are for use by any qualified physician or other qualified health care professional or entity (e.g., hospitals, laboratories, or home health agencies). Keep in mind that there may be other policies or guidance that can affect who may report a specific service.

Supplies

Some payers may allow physicians to separately report drugs and other supplies when reporting the place of service as office or other nonfacility setting. Drugs and supplies are to be reported by the facility only when performed in a facility setting.

Professional and Technical Component

Radiology and some pathology codes have a technical and a professional component. When physicians do not own their own equipment and send their patients to outside testing facilities, they should append modifier 26 to the procedural code to indicate they performed only the professional component.

Sample Page and Key

On the following pages are a sample page from the book displaying the new format of *Coding and Payment Guide for Dental Services* with each element identified and explained on the opposite page.

D0470

D0470 diagnostic casts

Also known as *diagnostic models or study models*.

Explanation

A plaster or stone model of teeth and adjoining tissues is created. Diagnostic casts are an essential tool that allows the dentist to analyze tooth size and shape; alignment and rotation of the teeth; the presence or absence of teeth; arch width, length, form, and symmetry; and the occlusal (bite) relationship. Diagnostic casts assist the dentist in determining the extent and type of orthodontia or other treatment required.

Coding Tips

Diagnostic casts may also be referred to as diagnostic models or study models.

Documentation Tips

The following information can be documented on a tooth chart: treatment/location of caries, endodontic procedures, prosthetic services, preventive services, treatment of lesions and dental disease, or other special procedures. A tooth chart may also be used to identify structure and rationale of disease process and the type of service performed on intraoral structures other than teeth.

Reimbursement Tips

When performed for orthodontia, this service may be processed under orthodontial benefit plans. This service is not covered by Medicare. Some dental plans may apply a patient copayment to this procedure.

ICD-10-CM Diagnostic Codes

| | |
|---------|--|
| K00.1 | Supernumerary teeth |
| K00.2 | Abnormalities of size and form of teeth |
| K00.3 | Mottled teeth |
| K00.4 | Disturbances in tooth formation |
| K00.5 | Hereditary disturbances in tooth structure, not elsewhere classified |
| K00.6 | Disturbances in tooth eruption |
| K00.8 | Other disorders of tooth development |
| K01.0 | Embedded teeth |
| K01.1 | Impacted teeth |
| K03.0 | Excessive attrition of teeth |
| K03.1 | Abrasion of teeth |
| K03.2 | Erosion of teeth |
| K03.3 | Pathological resorption of teeth |
| K03.4 | Hypercementosis |
| K03.5 | Ankylosis of teeth |
| K03.6 | Deposits [accretions] on teeth |
| K03.7 | Posteruptive color changes of dental hard tissues |
| K03.81 | Cracked tooth |
| K03.89 | Other specified diseases of hard tissues of teeth |
| K08.21 | Minimal atrophy of the mandible |
| K08.22 | Moderate atrophy of the mandible |
| K08.23 | Severe atrophy of the mandible |
| K08.24 | Minimal atrophy of maxilla |
| K08.25 | Moderate atrophy of the maxilla |
| K08.26 | Severe atrophy of the maxilla |
| K08.3 | Retained dental root |
| K08.401 | Partial loss of teeth, unspecified cause, class I |

| | |
|---------|---|
| K08.402 | Partial loss of teeth, unspecified cause, class II |
| K08.403 | Partial loss of teeth, unspecified cause, class III |
| K08.404 | Partial loss of teeth, unspecified cause, class IV |
| K08.411 | Partial loss of teeth due to trauma, class I |
| K08.412 | Partial loss of teeth due to trauma, class II |
| K08.413 | Partial loss of teeth due to trauma, class III |
| K08.414 | Partial loss of teeth due to trauma, class IV |
| K08.421 | Partial loss of teeth due to periodontal diseases, class I |
| K08.422 | Partial loss of teeth due to periodontal diseases, class II |
| K08.423 | Partial loss of teeth due to periodontal diseases, class III |
| K08.424 | Partial loss of teeth due to periodontal diseases, class IV |
| K08.431 | Partial loss of teeth due to caries, class I |
| K08.432 | Partial loss of teeth due to caries, class II |
| K08.433 | Partial loss of teeth due to caries, class III |
| K08.434 | Partial loss of teeth due to caries, class IV |
| K08.491 | Partial loss of teeth due to other specified cause, class I |
| K08.492 | Partial loss of teeth due to other specified cause, class II |
| K08.493 | Partial loss of teeth due to other specified cause, class III |
| K08.494 | Partial loss of teeth due to other specified cause, class IV |
| K08.51 | Open restoration margins of tooth |
| K08.52 | Unrepairable overhanging of dental restorative materials |
| K08.530 | Fractured dental restorative material without loss of material |
| K08.531 | Fractured dental restorative material with loss of material |
| K08.54 | Contour of existing restoration of tooth biologically incompatible with oral health |
| K08.55 | Allergy to existing dental restorative material |
| K08.56 | Poor aesthetic of existing restoration of tooth |
| K08.59 | Other unsatisfactory restoration of tooth |

Relative Value Units/Medicare Edits

| Non-Facility RVU | Work | PE | MP | Total |
|------------------|------|------|------|-------|
| D0470 | 0.00 | 1.29 | 0.00 | 1.29 |
| Facility RVU | Work | PE | MP | Total |
| D0470 | 0.00 | 1.29 | 0.00 | 1.29 |

| | FUD | Status | MUE | Modifiers | | | | IOM Reference |
|--------------|-----|--------|-----|-----------|-----|-----|-----|---------------|
| D0470 | N/A | N | - | N/A | N/A | N/A | N/A | None |

* with documentation

Terms To Know

cast. Rigid encasement or dressing molded to the body from a substance that hardens upon drying to hold a body part immobile during the healing period; a model or reproduction made from an impression or mold.

occlusal. Biting surfaces of premolar and molar teeth or the areas of contact between opposing teeth in the maxilla and mandible.

tooth erosion. Wearing away of a tooth's hard substance by abrasive, not bacterial, forces.

D2410-D2430

- D2410** gold foil - one surface
D2420 gold foil - two surfaces
D2430 gold foil - three surfaces

Explanation

Gold foil restorations is an alternative to both composite and amalgam fillings. Although not commonly used today, it is the historical method of filling decayed areas of the tooth and dates back many centuries. Gold foil filling technique requires a high level of skill and attention to detail in placing these restorative fillings and is, of course, expensive. The gold is placed directly into the prepared tooth cavity and tapped into place with hand instruments, compacting it layer upon layer until the restoration is a solid filling and conformed to the tooth as needed. Report D2410 for one gold foil surface filling, D2420 for two surfaces, and D2430 for three surfaces.

Coding Tips

When assigning a code for multiple surfaces the surfaces must be continuous. Local anesthesia is included in these services. Any evaluation or radiograph is reported separately.

Documentation Tips

The following information can be documented on a tooth chart: treatment/location of caries, endodontic procedures, prosthetic services, preventive services, treatment of lesions and dental disease, or other special procedures.

ICD-10-CM Diagnostic Codes

| | |
|--------|--|
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K02.7 | Dental root caries |
| K03.0 | Excessive attrition of teeth |
| K03.1 | Abrasion of teeth |
| K03.2 | Erosion of teeth |

Relative Value Units/Medicare Edits

| Non-Facility RVU | Work | PE | MP | Total |
|------------------|------|------|------|-------|
| D2410 | 1.60 | 1.39 | 0.33 | 3.32 |
| D2420 | 2.67 | 2.31 | 0.55 | 5.53 |
| D2430 | 4.63 | 4.01 | 0.95 | 9.59 |
| Facility RVU | Work | PE | MP | Total |
| D2410 | 1.60 | 1.39 | 0.33 | 3.32 |
| D2420 | 2.67 | 2.31 | 0.55 | 5.53 |
| D2430 | 4.63 | 4.01 | 0.95 | 9.59 |

| | FUD | Status | MUE | Modifiers | | | | IOM Reference |
|--------------|-----|--------|-----|-----------|-----|-----|-----|---------------|
| D2410 | N/A | N | - | N/A | N/A | N/A | N/A | None |
| D2420 | N/A | N | - | N/A | N/A | N/A | N/A | |
| D2430 | N/A | N | - | N/A | N/A | N/A | N/A | |

* with documentation

D2510-D2530

- D2510** inlay - metallic - one surface
D2520 inlay - metallic - two surfaces
D2530 inlay - metallic - three or more surfaces

Explanation

A metallic inlay is applied. An inlay, like a filling or a crown, is a type of dental restoration procedure. Inlays are constructed of metallic or non-metallic materials and are considered indirect restorations. An inlay fits like a puzzle piece into the tooth and is used to restore teeth that require more than a filling, but do not require a crown. The tooth is anesthetized and prepared for the inlay. If an old filling is present, it is removed, along with any decay. A mold is made of the tooth, the opposing tooth that the inlay bites against, and adjacent teeth. This mold is then sent to a laboratory where the inlay is constructed. While the inlay is being constructed, temporary inlay material is placed into the tooth. When the permanent inlay is returned from the laboratory, the patient returns to the dentist office and the inlay is cemented (luted) into the tooth. Report D2510 for a metallic inlay covering a single surface (top or side); D2520 for two surfaces (top and side or two sides); or D2530 for three or more surfaces.

Coding Tips

Correct code assignment is dependent upon the number of surfaces involved. When assigning a code for multiple surfaces the surfaces must be continuous. See codes D2542-D2544 for metallic onlay procedures. See D2610-D2644 for porcelain/ceramic inlay/onlays. See D2650-D2664 for resin-based composite inlay/onlays.

Documentation Tips

Treatment plan documentation should reflect any treatment failure or change in diagnosis and/or a change in treatment plan. There should also be evidence of any initiation or reinstatement of a drug regime, which requires close and continuous skilled medical observation. The following information can be documented on a tooth chart: treatment/location of caries, endodontic procedures, prosthetic services, preventive services, treatment of lesions and dental disease, or other special procedures. A tooth chart may also be used to identify structure and rationale of disease process and the type of service performed on intraoral structures other than teeth.

Reimbursement Tips

Third-party payers often consider laboratory costs, tooth preparation, pulp caps, temporary restorations, porcelain margins, cement bases, impressions, and local anesthesia to be components of a complete restoration and, therefore, will not make separate payment for these services. Check with third-party payers for their specific guidelines.

ICD-10-CM Diagnostic Codes

| | |
|--------|--|
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp |
| K02.61 | Dental caries on smooth surface limited to enamel |
| K02.62 | Dental caries on smooth surface penetrating into dentin |
| K02.63 | Dental caries on smooth surface penetrating into pulp |
| K02.7 | Dental root caries |
| K03.0 | Excessive attrition of teeth |
| K03.1 | Abrasion of teeth |
| K03.2 | Erosion of teeth |